



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/648,289	08/27/2003	Takeshi Hoshino	ASA-1153	4457

7590 11/07/2006

MATTINGLY, STANGER & MALUR, P.C.
ATTORNEYS AT LAW
SUITE 370
1800 DIAGONAL ROAD
ALEXANDRIA, VA 22314

EXAMINER

SHERMAN, STEPHEN G

ART UNIT PAPER NUMBER

2629

DATE MAILED: 11/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/648,289	HOSHINO ET AL.	
	Examiner	Art Unit	
	Stephen G. Sherman	2629	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 October 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6, 8 and 9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4, 6, 8 and 9 is/are rejected.
- 7) ☒ Claim(s) 5 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 April 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date: _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on the 6 October 2006 has been entered.

Response to Arguments

2. Applicant's arguments filed the 6 October 2006 have been fully considered but they are not persuasive.

On page 8 of the applicant's response argues that the embodiment of the Shahoian reference is directed to a touchpad, rather than a display screen provided with a touch panel, as set forth in the claims and also that Shahoian fails to teach of a moving means for moving the display screen and touch panel in a direction of the pushing pressure. The examiner respectfully disagrees.

The secondary reference Shahoian was used only to teach of providing movement to a touch area in order to provide feedback to a user to assist and inform

the user of interactions and events within a graphical user interface. The reference was not meant to be bodily incorporated into the Hanajima reference, but instead used to teach that when a user puts his finger over a touch sensitive area that actuators, i.e. moving means, can be activated to provide a tactile response. The test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

Also, the secondary reference was only used to show of having a means for actuating a physical movement based on the touching of the display screen, however, the primary reference Hanajima could also have been used to broadly teach this feature, since as shown in Figure 3, when a user touches the touch screen 9, the panel will move in the direction the force is being applied, and the means for allowing this movement is the spacing means between the panel 9 and the liquid crystal display 11.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title; if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

5. Claims 1-4, 6 and 8-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hanajima et al. (US 2002/0008691) in view of Shahoian et al. (US 6,822,635).

Regarding claim 1, Hanajima et al. disclose a display unit (Figure 1) with touch panel including a touch panel disposed on a display screen of a display panel to detect touch position of a pointer (Figure 3), operation being conducted by touching a touch operation member displayed on the display screen (Figure 7), the display unit with touch panel comprising:

a sensor for sensing pushing pressure P caused by the pointer when touching the touch operation member (Page 3, paragraph [0033]. The examiner interprets that if the touch panel can detect a depressing pressure that it would have a sensor for doing so.); and

a control section (Page 3, paragraph [0037]. The examiner interprets that the comparing means performs the same function as the said control section since it determines what pressure has been applied to the touch panel.) for conducting first processing concerning the touch operation member pushed by the pointed when the

pressure P sensed by said sensor satisfies a relation $P_1 \leq P < P_2$ with respect to previously set pressures P_1 and P_2 (where $P_1 < P_2$), and conducting second processing concerning the touch operation member pushed by the pointer when the pushing pressure has changed from $P_1 \leq P < P_2$ to $P_2 \leq P$ (Page 3, paragraph [0048] and page 4, paragraph [0050]. The examiner interprets that when the weak pressure is applied that the highlight mode is conducted by a first processing means and that this pressure would fall between a predetermined range. Also the examiner interprets that when the higher pressure is applied that the application that is executed would be performed by a second processing and that this higher pressure would be greater than a predetermined pressure.),

wherein when the pushing pressure P satisfies the relation $P_1 \leq P < P_2$, the display concerning said touch operation member is changed to be different by said first processing (Paragraph [0050] explains that when a weak pressure is used that a highlight mode is entered, i.e. a first processing is executed to highlight the icon.), and

when the pushing pressure has changed from $P_1 \leq P < P_2$ to $P_2 \leq P$ where the touch operation member is regarded as pressed a predetermined processing assigned to the touch operation member is executed by the second processing (Paragraph [0048] explains that when a high pressure is used that an icon is selected rather than highlighted, i.e. a second processing is executed to execute the program associated with the icon.).

Hanajima et al. fail to teach of a display unit with a touch panel comprising moving means for moving said display screen provided with said touch panel in a

Art Unit: 2629

direction of the pushing pressure on said display screen, wherein when the pushing pressure has changed from $P1 \leq P < P2$ to $P2 \leq P$ where the touch operation member is regarded as pressed, a function of moving the display screen provided with said touch panel in a direction of pushing pressure caused by the pointer executed by the second processing.

Shahoian et al. disclose of moving a display screen in a direction of pushing pressure caused by a pointer (Column 34, lines 2-23 and Figure 18 explain that regions, i.e. icons, can be associated with haptic sensations which are executed when a user selects an item, and the pulse created from this haptic feedback would move the display screen in a direction of the pushing pressure. Column 31, lines 46-59 explain that actuators are located underneath the touch regions, where these actuators are the means that move the touch area.).

Therefore it would have been obvious to "one of ordinary skill" in the art to combine the concept providing a user with a haptic feedback response taught by Shahoian et al. with the multiple touching pressure touch panel taught by Hanajima et al. such that when a pressure is applied to make a selection of an icon a tactile feedback would be given in order to assist and inform the user of interactions and events within a graphical user interface.

Regarding claim 2, Hanajima et al. and Shahoian et al. disclose the display unit with touch panel according to claim 1.

Shahoian et al. also disclose wherein in addition to processing of making display concerning the touch operation member different is conducted by the first processing, processing of moving the display screen provided with said touch panel in a direction of pushing pressure caused by a pointer (Column 33, lines 28-36 explain that different regions, i.e. icons, on the display may be marked with border such that a user receives visual and/or tactile response depending on where the user is contacting the screen. This corresponds to a first processing step since the icon has not yet been selected, so that when used in combination with the Hanajima reference the highlight mode would also provide the user with a tactile feedback to aid in recognition of the touch with weak pressure. This tactile feedback would thus move the display screen in a direction of the pushing pressure, since the screen would vibrate.).

Regarding claim 3, Hanajima et al. and Shahoian et al. disclose the display unit with touch panel according claim 2.

Shahoian et al. also disclose wherein if the processing of executing the function of moving the display screen provided with said touch panel in a direction of pushing pressure caused by the pointer is conducted by a first function, then its travel quantity or a rate change of the travel quantity for an increase of the pushing pressure is different from that in the travel of the display screen conducted by a second function (Columns 33, lines 45-51 and column 34, lines 11-23 explain that the amount of pressure placed on the touchpad will cause a proportionate increase in the function being executed.

Increasing the scrolling speed with increased pressure is the example used, but the examiner understands that this principle could also be applied to the pushing pressure.).

Regarding claim 4, Hanajima et al. and Shahoian et al. disclose the display unit to claim 2.

Shahoian et al. also discloses wherein the function of moving the display screen provided with said touch panel in a direction of pushing pressure caused by the pointer is conducted by a first function, and instead of the function of moving the display screen provided with said touch panel in a direction of pushing pressure caused by the pointer, a function of moving the display screen provided with said touch panel in a direction opposite that pushing pressure caused by the pointer is conducted by a second function (Referring to the rejection of claim 2, the examiner interprets that if a tactile feedback is given to the user as described within the Shahoian reference, the display screen would be vibrated resulting in the movement of the display screen in both the directions of pushing pressure and the direction opposite of pushing pressure.).

Regarding claim 6, Hanajima et al. and Shahoian et al. disclose a display unit according to claim 5.

Shahoian et al. also disclose wherein
the moving of the display screen provided with said touch panel by the first processing is processing of moving the display screen to a predetermined first height, when a transition is effected from a state in which the pointer touches an area where the

Art Unit: 2629

touch operation member is not displayed to a state in which the pointer touches an area where the touch operation member is displayed (Column 33, lines 29-36 explain that a user may feel tactile feedback when an icon is touched for the user to recognize which region of the touchpad the user is contacting. Since column 34, lines 17-23 explain that tactile feedback can be given relative to the pushing pressure, this first tactile response would be predetermined.), and

the moving of the display screen provided with said touch panel by the second processing is processing of the display screen to a predetermined second height (Since column 34, lines 17-23 explain that tactile feedback can be given relative to the pushing pressure, the second pressure for selecting the icon would be predetermined.)

wherein said first height is relatively higher than a height of the display screen provided with said touch panel in an immediately preceding state, and said second height is relatively lower than a height of the display screen provided with said touch panel in an immediately preceding state (When the first pressure is applied and a tactile response is made, the vibration would cause a height of the display screen to vibrate, meaning that the height at some point would reach a height relatively higher than in a preceding state. Then, when the second higher pressure is applied and a tactile response is made, the vibration would cause a height of the display screen to vibrate, meaning that the height would at some point reach a height relatively lower than in a preceding state.).

Regarding claim 8, please refer to the rejection of claim 1, and furthermore Shahoian also discloses:

a memory for storing audio data (Figure 4 and column 11, lines 41-47 explain that memory 122 stores instructions for the microprocessor 110.);

a speaker for reproducing the audio data (Figure 4, audio output device 104.);

wherein a voice message is generated from the speaker based on the audio data concerning the touch operation member read out from memory (Figure 4 and column 11, lines 17-22 explain that the device contains a microprocessor 110 for controlling appropriate output actuator signals from stored instructions. Using column 33, lines 29-36 the examiner understands that when a portion of the screen is touched, i.e. highlight mode in the combination of the references, that an audio signal is generated to tell the user which region has been touched. The audio response for these actions would need to be stored in memory for being able to be reproduced onto the audio output device.).

Regarding claim 9, please refer to the rejection of claim 8.

Allowable Subject Matter

6. Claim 5 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Art Unit: 2629

7. The following is a statement of reasons for the indication of allowable subject matter:

The primary reason for indicating allowable subject matter is that claim 5 states that a storage section stores data that represents a relation between a position and a height, and that the control section reads the height data corresponding to a detected touch position, and the display screen is then moved based upon this specific height data, which is not found singularly or in combination within the prior art.

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen G. Sherman whose telephone number is (571) 272-2941. The examiner can normally be reached on M-F, 8:00 a.m. - 4:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amr Awad can be reached on (571) 272-7764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


Art Unit: 2629

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SS

3 November 2006

AMR A. AWAD
SUPERVISORY PATENT EXAMINER

A handwritten signature in black ink, appearing to read "Amr Ahmad Awad", written over a horizontal line.